

18

Decorative

Pages 487-512

MR16 | GU10 | GU5,3 | G4 | G9 | E27 | E14 | SMD LED | LED
Die cast + crystal | Wood | Metal | Plastic | ABS | PC





Crystal Recessed

Die cast + crystal




10101C4 | 10W | G4 | Die cast + crystal



IP20

offer



10101C5 | 10W | G4 | Die cast + crystal



IP20

offer



Order Code	Colour	Watts	Input	Class					Notes
10101C4/C	Chrome	10W	12V		40cm	60mm	30mm	50	-
10101C5/C	Chrome	10W	12V		40cm	60mm	30mm	50	-

one



Crystal Recessed


Die cast + crystal



E-A**

IP20

10105C4 | 50W | MR16 | GU5,3 | Die cast + crystal



Order Code	Colour	Watts	Input	Class	S				Notes
10105C4/C	Chrome	50W	12V		40cm	72mm	50mm	4	-

one



The Oriental Range

Metal



61048A | 40W | E27 | Metal | Table lamp



IP20



Suitable for 9G06F LED flame lamp.




61048B | 40W | E27 | Metal | Floor lamp



IP20




Suitable for 9G06F LED flame lamp.



Order Code	Colour	Watts	Input	Class		Notes
61048A	Antique oriental	40W	100-240V		1	-
61048B	Antique oriental	40W	100-240V		1	-

The Oriental Range

Metal




61050A | 40W | E27 | Metal | Table lamp



IP20



Suitable for 9G06F LED flame lamp.




61050B | 40W | E27 | Metal | Floor lamp



IP20



Suitable for 9G06F LED flame lamp.




63052 | 40W | E27 | Metal | Pendant




IP20



Suitable for 9G06F LED flame lamp.



Order Code	Colour	Watts	Input	Class		Notes
61050A	Antique oriental	40W	100-240V		1	-
61050B	Antique oriental	40W	100-240V		1	-
63052	Antique oriental	40W	100-240V		1	-




The Hotel Range Metal



61046 | 40W | E27 | Metal + white fabric shade



Suitable for E27 LED lamp.



C-A**

IP20



61076 | 40W | E27 | Metal + white fabric shade



Suitable for E27 LED lamp.



C-A**


IP20



61078 | 40W | E27 | Metal + white fabric shade



Suitable for E27 LED lamp.



C-A**

IP20

Order Code	Colour	Watts	Input	Class		Notes
61046/MC	Brushed chrome	40W	100-240V		8	With ON/OFF Switch
61076/C	Chrome	40W	100-240V		12	With ON/OFF Switch
61078/C	Chrome	40W	100-240V		8	With ON/OFF Switch

The Hotel Range Metal




65138 | 3W LED + 40W E27 | Metal + white fabric shade

With 2 x ON/OFF Switches.



Suitable for E27 LED lamp.



C-A++

IP20




61044 | 3W LED + 40W E27 | Metal + white fabric shade

With 2 x ON/OFF Switches.



Suitable for E27 LED lamp.



C-A++

IP20




61074 | 3W LED + 40W E27 | Metal + white fabric shade

With 2 x ON/OFF Switches.



Suitable for E27 LED lamp.



C-A++

IP20



61080 | 3W LED + 40W E27 | USB socket | Metal + white fabric shade

With 2 x ON/OFF Switches.



61080/W/W



C-A++

61080/C/W

new

IP20

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65138/MC/W	Brushed chrome	Warm white	3000K	3W LED + 40W E27	100lm	230V		8	Complete with 500mA driver
61044/C/W	Chrome	Warm white	3000K	3W LED + 40W E27	100lm	230V		6	Complete with 500mA driver
61074/C/W	Chrome	Warm white	3000K	3W LED + 40W E27	100lm	100-240V		8	Complete with 500mA driver
61080/W/W	White	Warm white	3000K	3W LED + 40W E27	150lm	230V		4	Complete with 700mA driver
61080/C/W	Chrome	Warm white	3000K	3W LED + 40W E27	150lm	230V		4	Complete with 700mA driver



61044A/C/W



61042A/MC

The Hotel Range


Metal




C-A++

IP20

61044A | 3W LED + 40W E27 | Metal + white fabric shade



Suitable for E27 LED lamp.




C-A++

IP20

61042A | 40W | E27 | Metal + white fabric shade



Suitable for E27 LED lamp.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
61044A/C/W	Chrome	Warm white	3000K	3W LED + 40W E27	100lm	230V		1	Complete with driver
61042A/MC	Brushed chrome	-	-	40W	-	100-240V		1	-




Portable Trendy Light



A-A+

61082 | 2,2W | LED | Touch switch | Die cast


Rechargeable USB socket.



new
IP54



Charging time: 5-7Hrs
Working time: 9Hrs



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class	Box	Notes
61082/W	White	Warm white	3000K	2,2W	190lm	III	6	2x2200mAh lithium battery

one



The LED Flickering Candles




9C006 | LED | Flickering flame | Metal + glass

ON/OFF and 5 hours timer functions.



IP20





9C008 | LED | Flickering flame | Plastic

ON/OFF and 5 hours timer functions.









IP20




Order Code	Battery		Notes
9C006/F	2xAA	10	Batteries included
9C008/F	2xC	8	Batteries included



The LED Flickering Candles

 <p>IP20</p>	<p>9C004A LED Flickering candle Plastic</p> <p>LED BUILT IN CE 2 YEAR</p> 	<p>ON/OFF and 5 hours timer functions.</p>  <p>75mm 125mm</p>
 <p>IP20</p>	<p>9C004B LED Flickering candle Plastic</p> <p>LED BUILT IN CE 2 YEAR</p> 	<p>ON/OFF and 5 hours timer functions.</p>  <p>100mm 150mm</p>
 <p>IP20</p>	<p>9C002 LED Flickering flame Wax with aroma</p> <p>LED BUILT IN CE 2 YEAR</p> 	<p>ON/OFF and 4 hours timer functions.</p>  <p>80mm 120mm</p>

Order Code	Battery		Notes
9C004A/F	2xAA	24	Batteries included
9C004B/F	2xAA	24	Batteries included
9C002/F	2xC	24	Batteries not included

one

Retro Floor Lamp

Metal




B-A**

IP20

61058A | 26W | E27 | Metal



Suitable for E27 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
61058A/C	Chrome	26W	100-240V		1	-

Chrome Classic


Metal



61036 | 2x11W | E14 | Metal




IP20



61038 | 20W | E27 | Metal




IP20



61038B | 15W | E14 | Metal



IP20



Order Code	Colour	Watts	Input	Class		Notes
61036/C	Chrome	2x11W	100-240V	<input type="checkbox"/>	1	-
61038/C	Chrome	20W	100-240V	<input type="checkbox"/>	1	-
61038B/C	Chrome	15W	100-240V	<input type="checkbox"/>	1	-



LED Pendant Rings




63046 | 25W | SMD 2835 | Steel + aluminium

Oval shape.




IP20



63046A | 45W | SMD 2835 | Steel + aluminium





IP20



63046B | 50W | SMD 2835 | Steel + aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63046/W	White	Warm white	3000K	25W	1540lm	230V	⊕	1	Complete with 24V DC driver
63046A/W	White	Warm white	3000K	45W	2700lm	230V	⊕	1	Complete with 24V DC driver
63046B/W	White	Warm white	3000K	50W	3000lm	230V	⊕	1	Complete with 24V DC driver



LED Pendant Rings


63048 | 19W | SMD 2835 | Steel + aluminium

LED BUILT IN
80 CRI CE 2 YEAR



A-A+ 63048/W

IP20




63048 | 19W | SMD 2835 | Steel + aluminium

LED BUILT IN
80 CRI CE 2 YEAR



A-A+ 63048/B

IP20




63048 | 19W | SMD 2835 | Steel + aluminium

LED BUILT IN
80 CRI CE 2 YEAR



A-A+ 63048/C

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	📦	Notes
63048/W	White	Warm white	3000K	19W	1000lm	230V	⊕	1	Complete with 24V DC driver
63048/B	Black	Warm white	3000K	19W	1000lm	230V	⊕	1	Complete with 24V DC driver
63048/C	Chrome	Warm white	3000K	19W	1000lm	230V	⊕	1	Complete with 24V DC driver


one




LED Pendant Rings



63050 | 40W | SMD 2835 | Steel + aluminium



62144NB | 50W | SMD 2835 | Metal



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63050/W	White	Warm white	3000K	40W	2250lm	230V		1	Complete with 24V DC driver
63050/B	Black	Warm white	3000K	40W	2250lm	230V		1	Complete with 24V DC driver
62144NB/W/W	White	Warm white	3000K	50W	2750lm	230V		1	Complete with 1200mA driver
62144NB/B/W	Black	Warm white	3000K	50W	2750lm	230V		1	Complete with 1200mA driver

one



LED Pendant Rings




A-A+ 62142NB/AN/W

IP20

62142NB | 42W | SMD 2835 | Aluminium



62142NB/W/W




A-A+ 62180NB/B/W

new
IP20

62180NB | 80W | SMD 2835 | Metal base + aluminium + PMMA




62180NB/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62142NB/W/W	White	Warm white	3000K	42W	2520lm	-	230V		1	Complete with 1000mA driver
62142NB/AN/W	Anthracite	Warm white	3000K	42W	2520lm	-	230V		1	Complete with 1000mA driver
62180NB/W/W	White	Warm white	3000K	80W	4400lm	120°	230V		1	Complete with 1000mA drivers
62180NB/B/W	Black	Warm white	3000K	80W	4400lm	120°	230V		1	Complete with 1000mA drivers

The Cloud Series



62148A | 23W | SMD 2835 | Metal base + PC



new

IP20

A-A⁺⁺




62148B | 40W | SMD 2835 | Metal base + PC



new

IP20

A-A⁺⁺



62148D | 108W | SMD 2835 | Metal base + PC



new

IP20

A-A⁺⁺



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62148A/W	White	Warm white	3000K	23W	1900lm	230V		1	Complete with 500mA driver
62148B/W	White	Warm white	3000K	40W	3200lm	230V		1	Complete with 1000mA driver
62148D/W	White	Warm white	3000K	108W	8700lm	230V		1	Complete with 1300mA drivers




The Cloud Pendant Series



63110C | 80W | SMD 2835 | Metal base + PC




new
IP20



63110D | 108W | SMD 2835 | Metal base + PC



new
IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63110C/W	White	Warm white	3000K	80W	6400lm	230V		1	Complete with 1000mA drivers
63110D/W	White	Warm white	3000K	108W	8700lm	230V		1	Complete with 1300mA drivers


Reading LED Lamps





61070 | 5W | SMD 2835 | Dimmable | Plastic





61068 | 15W | LED | Variable colour temperature | Dimmable | ABS



61068B | 12W | SMD 2835 | Dimmable | ABS



61072 | 6W | SMD 2835 | Dimmable | ABS



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
61070/W	White	Cool white	4000K	5W	480lm	100-240V	□	8	EU socket charger
61070/B	Black	Cool white	4000K	5W	480lm	100-240V	□	8	EU socket charger
61068/C	White	Variable	3000K-6500K	15W	500lm	100-240V	□	10	With USB charging socket
61068B/C	Black	Cool white	4000K	12W	600lm	100-240V	□	10	With USB charging socket
61072/W	White	Cool white	4000K	6W	200lm	100-240V	□	10	With USB charging socket
61072/B	Black	Cool white	4000K	6W	200lm	100-240V	□	10	With USB charging socket

one



The Magnifying Lens LED Lamp

61066 | 8W | SMD 2835 | Plastic



Magnifying lens.



A-A+


LED BUILT IN 80 CRI
ADJUSTABLE CE 2 YEAR

IP20



61066T | White floor stand for 61066

CE 2 YEAR



1



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Notes
61066/W	White	Daylight	6000K	8W	760lm	230V	4	Complete with driver





Hotel Reading Spots



65740 | 6W | SMD 2835 | Aluminium



65740A | 2x6W | SMD 2835 | Aluminium



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65740/W/W	White	Warm white	3000K	6W	500lm	230V		12	Complete with 300mA driver
65740A/W/W	White	Warm white	3000K	2x6W	2x500lm	230V		12	Complete with 300mA driver

one

The Retro GU10 Spots



65105N | 10W | MR16 | GU10 | Aluminium




A-A⁺⁺ 65105N/B

DARK LIGHT
IP20



65105N/W



65205N | 2x10W | MR16 | GU10 | Aluminium




A-A⁺⁺ 65205N/B

DARK LIGHT
IP20



65205N/W



65305N | 3x10W | MR16 | GU10 | Aluminium




A-A⁺⁺ 65305N/B

DARK LIGHT
IP20



65305N/W



65105NA | 10W | MR16 | GU10 | Aluminium

With switch.




A-A⁺⁺ 65105NA/B

DARK LIGHT
IP20



65105NA/W



Order Code	Colour	Reflector	Watts	Input	Class		Notes
65105N/W	White	Black	10W	100-240V		24	-
65105N/B	Black	Brass	10W	100-240V		24	-
65205N/W	White	Black	2x10W	100-240V		12	-
65205N/B	Black	Brass	2x10W	100-240V		12	-
65305N/W	White	Black	3x10W	100-240V		12	-
65305N/B	Black	Brass	3x10W	100-240V		12	-
65105NA/W	White	Black	10W	100-240V		24	-
65105NA/B	Black	Brass	10W	100-240V		24	-



Decorative Spots

Die cast + glass

65105A/MC





65105A | 50W | MR16 | GU10 | Die cast + glass



ADJUSTABLE

IP20
offer




65305B | 3x40W | G9 | Die cast + glass



ADJUSTABLE

IP20
offer



Order Code	Colour	Watts	Input	Class		Notes
65105A/MC	Brushed chrome	50W	100-240V		20	-
65305B/MC	Brushed chrome	3x40W	100-240V		10	-



Outdoor Floor Lamp

Die cast + PC




B-A**

IP65

61040 | 20W | E27 | Die cast + PC



Suitable for E27 LED lamp.



Order Code	Colour	Watts	Input	Class	⏏	📦	Notes
61040/AN	Anthracite	20W	100-240V	☐	300cm	1	-



Outdoor E27 String Lights



E-A⁺⁺

0994 | 15x60W | E27 | 15xT-lampholders



IP44



Order Code	Colour	Watts	Input	Class	 S		Notes
0994/B	Black	15x60W	100-240V		850cm	8	50cm spacing




Moonlights

PC



B-A⁺⁺

63028 | 15W | E27 | PC



IP54




1380mm l



B-A⁺⁺

63028A | 20W | E27 | PC



IP54



1450mm l



B-A⁺⁺

63028B | 30W | E27 | PC







IP54



1560mm l



Order Code	Colour	Watts	Input	Class		Notes
63028	White	15W	100-240V		1	Pendant / Ground / Spike
63028A	White	20W	100-240V		1	Pendant / Ground / Spike
63028B	White	30W	100-240V		1	Pendant / Ground / Spike